



## FABRICS

Cotton, Uncoated Polyester, Mesh, and  
Poly-blend fabrics - **Excluding Nylon**

## SIZING

Available Widths (in.): 13.5", 18", and 27"  
Available Lengths (ft.): 15', 30', 45', 60', 75',  
and 150' rolls

## THICKNESS

6.8 mils/170 microns

Semi-Gloss finish. Bridges the gaps in open-mesh athletic jerseys blocking dye-migration.  
Pressure-sensitive carrier allows easy weeding.

**Special Precautions:** This is a PVC product, which emits hazardous fumes when cut with a laser machine!  
\*This product cannot be layered.

**Color Variation:** During the manufacturing process, color variation can occur between rolls. This is especially true for Neon colors.



■ **CUTTING**  
45° Blade



■ **PRESSING**  
Medium, even pressure



■ **TIMING**  
Press for 8-10 seconds



■ **WASHING**  
Wash according to garment instructions.



■ **MIRRORING**  
Cut this material in mirror image.



■ **TEMPERATURE**  
320°F-330°F



■ **PEELING**  
Peel warm (Except Neon and Columbia Blue - peel cold), cover with Teflon™ sheet and re-press for 2 seconds.



■ **NOT LASER COMPATIBLE**  
This product contains PVC and will emit hazardous fumes.

**"It's best to test!"** Pre-test on an inconspicuous area before applying final production. Some garments require pre-heating and treatment, such as blotting moisture-wicking material with rubbing alcohol, before pressing material. Dye migration may occur with low energy dyes in polyester and blend fabrics. Check for compatibility and pre-treatment suggestions with each product's instructions. The user assumes all risk and liability, whatsoever, in connection with the use of this product. Specialty Materials cannot guarantee performance for conditions not under manufacturer's control and is not responsible for issues due to third-party material qualities. Seller's and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective by manufacturer.

©2022 Specialty Materials & Digital Decoration, LLC. | All rights reserved | Tulsa, OK 74107 | 877-437-8556  
Tech Help: [tech@specialtymaterials.com](mailto:tech@specialtymaterials.com) | Sample Request: [samples@specialtymaterials.com](mailto:samples@specialtymaterials.com)